

View Online at <https://aerobasegroup.com/nsn/4720-00-865-6622>

**Cross Sectional Shape:**

Round

**Thread Direction:**

Right-hand 1st end

**Inside Diameter:**

0.375 inches

**Temperature Rating:**

-65.0 degrees fahrenheit single response and 212.0 degrees fahrenheit single response

**Outside Diameter:**

0.750 inches

**Hose Or Tubing Specification/std Data:**

Mil mil-h-3992, type 1, class 1 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.).

**Connection Style:**

Plain 1st end

**End Connection Design:**

Straight 1st end

**End Fitting Component And Material:**

Complete fitting steel all ends

**Connection Type:**

Threaded external pipe 1st end

**Second End Relationship With First End:**

Identical

**Burst Test Pressure:**

900.0 pounds per square inch

**First End Swivel Action Capability:**

Not included

**Layer Composition And Location:**

Outer layer molded rubber, synthetic err-100

**Thread Size:**

0.500 inches 1st end

**External Protection Type And Location (non-core):**

spring guard, round steel coil

**Outer Covering Environmental Protection:**

Abrasion resistant and oil resistant and ozone resistant

**Vacuum In Torr:**

101.6

**Inside Surface Condition:**

Smooth

**Measuring Method And Length:**

85.500 inches

**Special Features:**

External protection type and location- spring guard, round steel coil , inner conveying tube material-rubber, synthetic

**Media For Which Designed:**

Air single response

**Thread Series Designator:**

Nptf 1st end

**Specification Data:**

Mil mil-h-3992, type 1, class 1 professional/industrial association specification

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fiig:**

A542a0