## NSN 4720-00-866-6733

**Cross Sectional Shape:** 

Ethylene glycol single response

Round

**Thread Class:** 

Nonmetallic Hose Assembly - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4720-00-866-6733

2b 1st end			
Thread Direction:			
Right-hand 1st end			
Inside Diameter:			
0.375 inches			
Tempurature Rating:			
35.0 degrees fahrenheit and 200.0 degrees fahrenheit single response			
Outside Diameter:			
0.750 inches			
Minimum Inside Bending Radius:			
3.000 inches			
Exterior Color:			
Green			
Connection Style:			
Swivel nut flare 1st end			
End Connection Design:			
Straight 1st end			
Connection Type:			
Threaded internal tube 1st end			
Burst Test Pressure:			
4500.0 pounds per square inch			
Layer Composition And Location:			
1st layer braided rayon cord and outer layer molded rubber, synthetic			
Maximum Operating Pressure:			
1125.0 pounds per square inch			
Thread Size:			
0.562 inches 1st end			
Seat Angle:			
37.0 degrees 1st end			
Hydrostatic Test Pressure:			
2250.0 pounds per square inch			
Outer Covering Environmental Protection:			
Abrasion resistant and ethylene glycol resistant and oil resistant and weatherproof			
Inside Surface Condition:			
Smooth			
Measuring Method And Length:			
30.000 inches excluding end fittings			
Media For Which Designed:			

## NSN 4720-00-866-6733

Nonmetallic Hose Assembly - Page 2 of 2



		_
Thread	Series	Designator:

Unf 1st end

Shelf Life:

N/a

**Unit Of Measure:** 

--

Demilitarization:

No

Fiig:

A542a0