## NSN 4720-00-866-6742

Nonmetallic Hose Assembly - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4720-00-866-6742

Cross Sectional Shape:
Round
Thread Class:
2b 1st end
Thread Direction:
Right-hand 1st end
Inside Diameter:
0.500 inches
Tempurature Rating:
35.0 degrees fahrenheit and 200.0 degrees fahrenheit single response
Outside Diameter:
1.312 inches
Connection Style:
Swivel nut flare 1st end
End Connection Design:
Straight 1st end
Connection Type:
Threaded internal tube 1st end
Burst Test Pressure:
4500.0 pounds per square inch
Layer Composition And Location:
1st layer braided fabric and 2nd layer braided fabric and outer layer molded rubber, ethylene propylene
Maximum Operating Pressure:
1125.0 pounds per square inch
Thread Size:
0.750 inches 1st end
Seat Angle:
37.0 degrees 1st end
Hydrostatic Test Pressure:
2250.0 pounds per square inch
Outer Covering Environmental Protection:
Abrasion resistant and ethylene glycol resistant and weatherproof
Inside Surface Condition:
Smooth
Measuring Method And Length:
18.000 inches working
Media For Which Designed:
Ethylene glycol single response
Thread Series Designator:
Unf 1st end
Shelf Life:
N/a

## NSN 4720-00-866-6742

Nonmetallic Hose Assembly - Page 2 of 2



		• •			
ш	ın	10	<i>(</i> )+	Measure:	

--

Demilitarization:

No

Fiig:

A542a0