Nonmetallic Hose Assembly - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4720-00-872-6608

Cross Sectional Shape:
Round
Thread Class:
2a 1st end
Thread Direction:
Right-hand 1st end
Inside Diameter:
0.188 inches
Tempurature Rating:
200.0 degrees fahrenheit single response
Outside Diameter:
0.516 inches
Minimum Inside Bending Radius:
3.000 inches
Exterior Color:
Black
Connection Style:
Compression 1st end
End Connection Design:
Straight 1st end
End Fitting Component And Material:
Complete fitting steel all ends
Connection Type:
Threaded external tube 1st end
Thready Qty Per Inch (tpi):
18 1st end
Second End Relationship With First End:
Identical
Burst Test Pressure:
12000.0 pounds per square inch
First End Swivel Action Capability:
Not included
Layer Composition And Location:
Outer layer molded rubber, synthetic
Maximum Operating Pressure:
3000.0 pounds per square inch
Thread Size:
0.438 inches 1st end
Seat Angle:
37.5 degrees 1st end
Outer Covering Environmental Protection:
Abrasion resistant

Nonmetallic Hose Assembly - Page 2 of 2



Vacuum In Torr: 50.8 **Inside Surface Condition:** Smooth Measuring Method And Length: 38.000 inches Seat Radius: 0.062 inches 1st end **Special Features:** Check unit assembly, part no. 5788-196 Media For Which Designed: Fuel/oil, hydrocarbon single response **Thread Series Designator:** Nptf 1st end Shelf Life: N/a Unit Of Measure: ---Demilitarization: No Fiig: A542a0