Nonmetallic Hose Assembly - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4720-00-878-6038

Cross Sectional Shape:	
Round	
Fhread Class:	
Bb 1st end	
Fhread Direction:	
Right-hand 1st end	
nside Diameter:	
).875 inches	
Fempurature Rating:	
40.0 degrees fahrenheit and 300.0 degrees fahrenheit single respo	onse
Dutside Diameter:	
1.156 inches	
End Connection Design:	
Straight 1st end	
Connection Type:	
Fhreaded internal hose 1st end	
Fhready Qty Per Inch (tpi):	
12 1st end	
Burst Test Pressure:	
2500.0 pounds per square inch	
_ayer Composition And Location:	
Ist layer braided steel wire and outer layer braided steel wire	
Maximum Operating Pressure:	
750.0 pounds per square inch	
Thread Size:	
I.312 inches 1st end	
Hydrostatic Test Pressure:	
5 1500.0 pounds per square inch	
nside Surface Condition:	
Smooth	
Neasuring Method And Length:	
13.750 inches working	
Special Features:	
N/fire shield	
Fhread Series Designator:	
Jnef 1st end	
Shelf Life:	
N/a	
Jnit Of Measure:	
-	
Demilitarization:	
No	

NSN 4720-00-878-6038

Nonmetallic Hose Assembly - Page 2 of 2

Fiig: A542a0

