Nonmetallic Hose Assembly - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4720-00-881-3088

Cro	ss Sectional Shape:
Rou	Ind
Thr	ead Class:
3b 1	1st end
Thr	ead Direction:
Rigl	ht-hand 1st end
Insi	de Diameter:
0.18	38 inches
Ten	npurature Rating:
-65.	0 degrees fahrenheit single response and 450.0 degrees fahrenheit single response
Out	side Diameter:
0.31	12 inches
Min	imum Inside Bending Radius:
2.00	00 inches
Cor	nnection Style:
Swi	vel nut flare 1st end
Enc	Connection Design:
Stra	aight 1st end
Cor	nnection Type:
Thre	eaded internal tube 1st end
Bur	st Test Pressure:
120	00.0 pounds per square inch
Lay	er Composition And Location:
Out	er layer braided corrosion resistant steel wire
Max	kimum Operating Pressure:
150	0.0 pounds per square inch
Thr	ead Size:
0.43	38 inches 1st end
Sea	at Angle:
) degrees 1st end
Insi	de Surface Condition:
Smo	poth
	asuring Method And Length:
	750 inches working
Thr	ead Series Designator:
-	1st end
She	elf Life:
N/a	
Uni	t Of Measure:
Der	nilitarization:
No	

NSN 4720-00-881-3088

Nonmetallic Hose Assembly - Page 2 of 2

Fiig: A542a0

