## NSN 4720-00-882-1669

Air Duct Hose - Page 1 of 1



View Online at https://aerobasegroup.com/nsn/4720-00-882-1669

Cross Sectional Shape:
Round
Wall Thickness:
0.024 inches
Inside Diameter:
1.500 inches first end
Minimum Inside Bending Radius:
1.500 inches
Connection Type:
Plain both ends
Features Provided:
Ozone resistant
Maximum Operating Pressure:
16.0 pounds per square inch
Measuring Method And Length:
144.000 inches
External Operating Pressure:
5.0 pounds per square inch
Material:
Material: Steel reinforcing wire
Steel reinforcing wire
Steel reinforcing wire  Style Designator:
Steel reinforcing wire  Style Designator:  Helically wound continous wire supported
Steel reinforcing wire  Style Designator:  Helically wound continous wire supported  Specification Data:
Steel reinforcing wire  Style Designator: Helically wound continous wire supported  Specification Data: 81349-mil-h-62028 government specification
Steel reinforcing wire  Style Designator:  Helically wound continous wire supported  Specification Data:  81349-mil-h-62028 government specification  Specification Or Standard:
Steel reinforcing wire  Style Designator:  Helically wound continous wire supported  Specification Data:  81349-mil-h-62028 government specification  Specification Or Standard:  3 class and 3 type
Steel reinforcing wire  Style Designator:  Helically wound continous wire supported  Specification Data:  81349-mil-h-62028 government specification  Specification Or Standard:  3 class and 3 type  Shelf Life:
Steel reinforcing wire  Style Designator: Helically wound continous wire supported  Specification Data: 81349-mil-h-62028 government specification  Specification Or Standard: 3 class and 3 type  Shelf Life: N/a
Steel reinforcing wire  Style Designator: Helically wound continous wire supported  Specification Data: 81349-mil-h-62028 government specification  Specification Or Standard: 3 class and 3 type  Shelf Life: N/a
Steel reinforcing wire  Style Designator: Helically wound continous wire supported  Specification Data: 81349-mil-h-62028 government specification  Specification Or Standard: 3 class and 3 type  Shelf Life: N/a  Unit Of Measure:
Steel reinforcing wire  Style Designator:  Helically wound continous wire supported  Specification Data:  81349-mil-h-62028 government specification  Specification Or Standard:  3 class and 3 type  Shelf Life:  N/a  Unit Of Measure:   Demilitarization:
Steel reinforcing wire  Style Designator: Helically wound continous wire supported  Specification Data: 81349-mil-h-62028 government specification  Specification Or Standard: 3 class and 3 type  Shelf Life: N/a Unit Of Measure: Demilitarization: No
Steel reinforcing wire  Style Designator: Helically wound continous wire supported  Specification Data: 81349-mil-h-62028 government specification  Specification Or Standard: 3 class and 3 type  Shelf Life: N/a Unit Of Measure: Demilitarization: No  Fiig:
Steel reinforcing wire  Style Designator: Helically wound continous wire supported  Specification Data: 81349-mil-h-62028 government specification  Specification Or Standard: 3 class and 3 type  Shelf Life: N/a Unit Of Measure: Demilitarization: No  Fiig: A229a0