NSN 4720-00-885-7219



Nonmetallic Hose Assembly - Page 1 of 2 View Online at https://aerobasegroup.com/nsn/4720-00-885-7219 **Cross Sectional Shape:** Round **Thread Class:** 2b 1st end **Thread Direction:** Right-hand 1st end **Inside Diameter:** 0.250 inches **Tempurature Rating:** -40.0 degrees fahrenheit and 200.0 degrees fahrenheit single response **Outside Diameter:** 0.500 inches **Minimum Inside Bending Radius:** 3.000 inches **Connection Style:** Swivel nut flare 1st end **End Connection Design:** Straight 1st end **Connection Type:** Threaded internal tube 1st end **Burst Test Pressure:** 1000.0 pounds per square inch **Layer Composition And Location:** 1st layer molded rubber, synthetic and 2nd layer braided wire and outer layer braided textile yarn **Maximum Operating Pressure:** 250.0 pounds per square inch **Thread Size:** 0.438 inches 1st end Seat Angle: 37.0 degrees and 45.0 degrees 1st end **Vacuum In Torr:** 28.0 **Inside Surface Condition:** Smooth **Measuring Method And Length:** 120.700 inches **Thread Series Designator:**

Unf 1st end
Shelf Life:

N/a

Unit Of Measure:

--

NSN 4720-00-885-7219

Nonmetallic Hose Assembly - Page 2 of 2



Demilitarization:

No

Fiig:

A542a0