Nonmetallic Hose Assembly - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4720-00-896-7922

Cross	Sectional Shape:
Round	· · · · · · · · · · · · · · · · · · ·
	d Class:
3b 1st	
	d Direction:
	hand 1st end
	Diameter:
	inches
	urature Rating:
	degrees fahrenheit single response and 450.0 degrees fahrenheit single response
	de Diameter:
	inches
	ection Style:
	I nut flare 1st end
	connection Design:
	ht 1st end
Conne	ection Type:
	ded internal tube 1st end
Featu	res Provided:
Electro	ostatic discharge capability
Burst	Test Pressure:
7000.0) pounds per square inch
Layer	Composition And Location:
Outer	layer braided corrosion resistant steel wire
Maxin	num Operating Pressure:
1500.0) pounds per square inch
Threa	d Size:
0.875	inches 1st end
Seat A	Angle:
37.0 d	egrees 1st end
Hydro	static Test Pressure:
3000.0) pounds per square inch
Inside	Surface Condition:
Smoot	th
Measu	uring Method And Length:
30.500) inches working
Threa	d Series Designator:
Unf 1s	at end
Shelf	Life:
N/a	
Unit C	Of Measure:

NSN 4720-00-896-7922

Nonmetallic Hose Assembly - Page 2 of 2



Demilitarization:

No

Fiig:

A542a0