Nonmetallic Hose Assembly - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4720-00-898-4790

Cross Sectional Shape:
Round
Thread Direction:
Right-hand 1st end
Inside Diameter:
0.250 inches
Outside Diameter:
Between 0.594 inches and 0.656 inches
Hose Or Tubing Specification/std Data:
Sae j40, 40r2, type b, size 1/4 standard (includes industry or association standards, individual manufactureer standards, etc.).
Connection Style:
Swivel, plain 2nd end
End Connection Design:
Straight 2nd end
End Fitting Component And Material:
Complete fitting steel all ends
Fitting Component And Surface Treatment:
Complete fitting cadmium and complete fitting zinc 1st end
Connection Type:
Threaded external pipe 2nd end
Features Provided:
Electrostatic discharge capability
Second End Relationship With First End:
Not identical
Burst Test Pressure:
900.0 pounds per square inch
First End Swivel Action Capability:
Not included
Layer Composition And Location:
Outer layer molded rubber, chloroprene err-100
Maximum Operating Pressure:
200.0 pounds per square inch
Unable To Decode:
Unable to decode or unable to decode
Thread Size:
0.125 inches 2nd end
Seat Angle:
30.0 degrees 2nd end
Outer Covering Environmental Protection:
Oil resistant
Unable To Decode:
Unable to decode or unable to decode

Nonmetallic Hose Assembly - Page 2 of 2



Inside Surface Condition: Smooth Measuring Method And Length: 20.000 inches Second End Swivel Action Capability: Included **Special Features:** Inner conveying tube material-rubber, synthetic Media For Which Designed: Air single response **Thread Series Designator:** Nptf 2nd end **Specification Data:** Sae j40, 40r2, type b, size 1/4 national std/spec Shelf Life: N/a Unit Of Measure: ---Demilitarization: No Fiig: A542a0