NSN 4720-00-901-3179

Cross Sectional Shape:

Round

Thread Class: 3b 1st end

Thread Direction:
Right-hand 1st end
Inside Diameter:
0.188 inches

Outside Diameter:

0.312 inches

Unf 1st end

Nonmetallic Hose Assembly - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4720-00-901-3179

Angle Between Rigid Elbow Fittings In Deg:		
135.0		
Connection Style:		
Swivel nut flare 1st end		
End Connection Design:		
Elbow 1st end		
Connection Type:		
Threaded internal tube 1st end		
Features Provided:		
Electrostatic discharge capability		
Burst Test Pressure:		
12000.0 pounds per square inch		
Layer Composition And Location:		
Outer layer braided corrosion resistant steel wire		
Maximum Operating Pressure:		
1500.0 pounds per square inch		
Thread Size:		
0.438 inches 1st end		
Seat Angle:		
37.0 degrees 1st end		
Hydrostatic Test Pressure:		
3000.0 pounds per square inch		
Flow Angle:		
45.0 degrees 1st end		
Outer Covering Environmental Protection:		
Corrosion resistant		
Inside Surface Condition:		
Smooth		
Measuring Method And Length:		
15.500 inches working		
Thread Series Designator:		

NSN 4720-00-901-3179

Nonmetallic Hose Assembly - Page 2 of 2



Specific	ation	Data:
----------	-------	-------

07482-j265b0154b135b manufacturers source control

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A542a0