Nonmetallic Hose Assembly - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4720-00-903-1317

View Online at https://aerobasegroup.com/nsn/4720-00-903-1317	
Cross Sectional Shape:	
Round	
Thread Class:	
3b 1st end	
Thread Direction:	
Right-hand 1st end	
Inside Diameter:	
0.375 inches	
Tempurature Rating:	
-40.0 degrees fahrenheit single response and 200.0 degrees fahrenheit single response	
Connection Style:	
Swivel nut flare 1st end	
End Connection Design:	
Straight 2nd end	
Connection Type:	
Threaded internal hose 1st end	
Features Provided:	
Electrostatic discharge capability and perforated outer cover	
Thready Qty Per Inch (tpi):	
18 1st end	
Burst Test Pressure:	
16000.0 pounds per square inch	
Layer Composition And Location:	
Outer layer braided corrosion resistant steel wire	
Maximum Operating Pressure:	
4000.0 pounds per square inch	
Thread Size:	
0.562 inches 2nd end	
Outer Covering Environmental Protection:	
Abrasion resistant	
Inside Surface Condition:	
Smooth	
Measuring Method And Length:	
384.000 inches	
Special Markings:	
2200 psi air	
Media For Which Designed:	
Air single response	
Test Data Document:	
81205-29-31648 drawing (this is the basic governing drawing, such as a contractor drawing, original equipment manufacturer drawing,	etc.;
excludes any specification, standard or other document that may be referenced in a basic governing drawing)	
Thread Series Designator:	

Thread Series Designator:

Unf 2nd end



**Fsc Application Data:** 

Guided missile remotecontrol system

Shelf Life:

N/a

Unit Of Measure:

---

Demilitarization:

No

Fiig:

A542a0