NSN 4720-00-904-5674

Nonmetallic Hose Assembly - Page 1 of 2



Transmission 1999 7 9 2	ııoup
View Online at https://aerobasegroup.com/nsn/4720-00-904-5674	
Cross Sectional Shape:	
Round	
Thread Class:	
3b 1st end	
Thread Direction:	
Right-hand 1st end	
Inside Diameter:	
0.438 inches	
Tempurature Rating:	
-65.0 degrees fahrenheit single response and 200.0 degrees fahrenheit single response	
Connection Style:	
Swivel nut with loose or integral clinch sleeve 1st end	
End Connection Design:	
Straight 1st end	
End Fitting Component And Material:	
Complete fitting steel all ends	
Connection Type:	
Threaded internal tube 1st end	
Second End Relationship With First End:	
Identical	
Burst Test Pressure:	
14000.0 pounds per square inch	
First End Swivel Action Capability:	
Not included	
Layer Composition And Location:	
1st layer braided steel wire err-100	
Maximum Operating Pressure:	
3000.0 pounds per square inch	
Thread Size:	
0.750 inches 1st end	
Seat Angle:	
12.0 degrees 1st end	

Inside Surface Condition:

Smooth

Measuring Method And Length:

46.000 inches working

Special Features:

Inner conveying tube material-rubber, synthetic

Media For Which Designed:

Fuel/oil, hydrocarbon single response

Thread Series Designator:

Unf 1st end

NSN 4720-00-904-5674

Nonmetallic Hose Assembly - Page 2 of 2



Sı	pecif	icati	on Da	ta:
----	-------	-------	-------	-----

96906-ms28762 government standard

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A542a0