NSN 4720-00-904-5674

Nonmetallic Hose Assembly - Page 1 of 2



Transmission 1999 7 9 2	ııoup			
View Online at https://aerobasegroup.com/nsn/4720-00-904-5674				
oss Sectional Shape:				
Round				
Thread Class:				
3b 1st end				
Thread Direction:				
Right-hand 1st end				
Inside Diameter:				
0.438 inches				
Tempurature Rating:				
-65.0 degrees fahrenheit single response and 200.0 degrees fahrenheit single response				
Connection Style:				
Swivel nut with loose or integral clinch sleeve 1st end				
End Connection Design:				
Straight 1st end				
End Fitting Component And Material:				
Complete fitting steel all ends				
Connection Type:				
Threaded internal tube 1st end				
Second End Relationship With First End:				
Identical				
Burst Test Pressure:				
14000.0 pounds per square inch				
First End Swivel Action Capability:				
Not included				
Layer Composition And Location:				
1st layer braided steel wire err-100				
Maximum Operating Pressure:				
3000.0 pounds per square inch				
Thread Size:				
0.750 inches 1st end				
Seat Angle:				
12.0 degrees 1st end				

Inside Surface Condition:

Smooth

Measuring Method And Length:

46.000 inches working

Special Features:

Inner conveying tube material-rubber, synthetic

Media For Which Designed:

Fuel/oil, hydrocarbon single response

Thread Series Designator:

Unf 1st end

NSN 4720-00-904-5674

Nonmetallic Hose Assembly - Page 2 of 2



Sı	pecif	icatio	n Data:
----	-------	--------	---------

96906-ms28762 government standard

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A542a0