

View Online at <https://aerobasegroup.com/nsn/4720-00-909-3367>

Cross Sectional Shape:

Round

Inside Diameter:

1.380 inches

Temperature Rating:

-65.0 degrees fahrenheit and 375.0 degrees fahrenheit single response

Outside Diameter:

1.700 inches

Minimum Inside Bending Radius:

9.000 inches

Angle Between Rigid Elbow Fittings In Deg:

226.0

Connection Style:

Push (internal) 2nd end

End Flange Construction:

Solid 1st end

End Connection Design:

Elbow 2nd end

Connection Type:

Internal quick disconnect 2nd end

Burst Test Pressure:

2000.0 pounds per square inch

Maximum Operating Pressure:

250.0 pounds per square inch

Flow Angle:

45.0 degrees 2nd end

Inside Surface Condition:

Smooth

Measuring Method And Length:

41.100 inches working

Flange Style:

Rectangular (includes square) 1st end

Media For Which Designed:

Fuel/oil, hydrocarbon single response

Supplementary Features:

This item has been reviewed for asbestos material; the current approved sources, 00624 have indicated their part number contained asbestos prior to 1984, they continue to manufacture the same part number without asbestos material after 1984

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

Yes - demil/mli

Fig:

A542a0