Cross Sectional Shape:

Nonmetallic Hose Assembly - Page 1 of 2

View Online at https://aerobasegroup.com/nsn/4720-00-912-9111



Round **Thread Class:** 2b 1st end Thread Direction: Right-hand 1st end **Inside Diameter:** 0.313 inches **Tempurature Rating:** -40.0 degrees fahrenheit and 300.0 degrees fahrenheit single response **Outside Diameter:** 0.592 inches **Connection Style:** Swivel nut flare 1st end End Connection Design: Straight 2nd end **Connection Type:** Threaded internal tube 1st end Thready Qty Per Inch (tpi): 18 1st end **Burst Test Pressure:** 4000.0 pounds per square inch Layer Composition And Location: 1st layer braided steel wire and outer layer molded rubber Maximum Operating Pressure: 1000.0 pounds per square inch Thread Size: 0.562 inches 1st end Seat Angle: 37.0 degrees 1st end Hydrostatic Test Pressure: 2000.0 pounds per square inch **Outer Covering Environmental Protection:** Oil resistant and ozone resistant **Inside Surface Condition:** Smooth Measuring Method And Length: 48.375 inches Media For Which Designed: Fuel/oil, hydrocarbon single response **Thread Series Designator:**

Unf 1st end

Nonmetallic Hose Assembly - Page 2 of 2

Shelf Life:

N/a

Unit Of Measure:

Demilitarization:

No

Fiig:

A542a0

