

View Online at <https://aerobasegroup.com/nsn/4720-00-913-1665>

Cross Sectional Shape:

Round

Inside Diameter:

2.500 inches

Bolt Circle Diameter:

5.500 inches 1st end

Flange Thickness:

0.875 inches 1st end

Outside Diameter:

7.000 inches

Minimum Inside Bending Radius:

2.500 inches

Inner Conveying Tube Style:

Interlocked packed

Angle Between Rigid Elbow Fittings In Deg:

90.0

Bolt Hole Quantity:

4 2nd end

Flange Outside Diameter:

7.000 inches 1st end

Connection Style:

Plain 1st end

Bolt Hole Diameter:

0.750 inches 2nd end

Raised Face Diameter:

6.000 inches 2nd end

End Flange Construction:

Solid 2nd end

End Connection Design:

Straight 2nd end

Connection Type:

Plain face flange 1st end

Features Provided:

Identical ends

Layer Composition And Location:

Outer layer braided nickel copper alloy wire

Measuring Method And Length:

37.375 inches

Flange Style:

Round w/ bolt holes 1st end

Supplementary Features:

This item has been reviewed for asbestos material. The current approved source, 70510, has indicated their part number contained asbestos prior to 1984. They continue to manufacture the same part number without asbestos material after 1984

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A542a0