NSN 4720-00-916-9898

Air Duct Hose - Page 1 of 1



View Online at https://aerobasegroup.com/nsn/4720-00-916-9898

Round Wall Thickness: 0.015 inches Inside Diameter: 0.620 inches first end Endlength: 1.250 inches both ends Connection Style: Round both ends Hose Weight: 1.840 ounces per linear foot Connection Type: Preformed both ends Features Provided: Stowage device End Inside Diameter: 0.620 inches both ends Maximum Operating Pressure: 3.0 pounds per square inch Measuring Method And Length: 40.000 inches Material: Steel reinforcing wire Style Designator: Helically wound continous wire supported Shelf Life: N/a Unit Of Measure: Demilitarization:
Inside Diameter: 0.620 inches first end Endlength: 1.250 inches both ends Connection Style: Round both ends Hose Weight: 1.840 ounces per linear foot Connection Type: Preformed both ends Features Provided: Stowage device End Inside Diameter: 0.620 inches both ends Maximum Operating Pressure: 3.0 pounds per square inch Measuring Method And Length: 40.000 inches Material: Steel reinforcing wire Style Designator: Helically wound continous wire supported Shelf Life: N/a Unit Of Measure:
Inside Diameter: 0.620 inches first end Endlength: 1.250 inches both ends Connection Style: Round both ends Hose Weight: 1.840 ounces per linear foot Connection Type: Preformed both ends Features Provided: Stowage device End Inside Diameter: 0.620 inches both ends Maximum Operating Pressure: 3.0 pounds per square inch Measuring Method And Length: 40.000 inches Material: Steel reinforcing wire Style Designator: Helically wound continous wire supported Shelf Life: N/a Unit Of Measure:
0.620 inches first end Endlength: 1.250 inches both ends Connection Style: Round both ends Hose Weight: 1.840 ounces per linear foot Connection Type: Preformed both ends Features Provided: Stowage device End Inside Diameter: 0.620 inches both ends Maximum Operating Pressure: 3.0 pounds per square inch Measuring Method And Length: 40.000 inches Material: Steel reinforcing wire Style Designator: Helically wound continous wire supported Shelf Life: N/a Unit Of Measure:
Endlength: 1.250 inches both ends Connection Style: Round both ends Hose Weight: 1.840 ounces per linear foot Connection Type: Preformed both ends Features Provided: Stowage device End Inside Diameter: 0.620 inches both ends Maximum Operating Pressure: 3.0 pounds per square inch Measuring Method And Length: 40.000 inches Material: Steel reinforcing wire Style Designator: Helically wound continous wire supported Shelf Life: N/a Unit Of Measure:
1.250 inches both ends Connection Style: Round both ends Hose Weight: 1.840 ounces per linear foot Connection Type: Preformed both ends Features Provided: Stowage device End Inside Diameter: 0.620 inches both ends Maximum Operating Pressure: 3.0 pounds per square inch Measuring Method And Length: 40.000 inches Material: Steel reinforcing wire Style Designator: Helically wound continous wire supported Shelf Life: N/a Unit Of Measure:
Connection Style: Round both ends Hose Weight: 1.840 ounces per linear foot Connection Type: Preformed both ends Features Provided: Stowage device End Inside Diameter: 0.620 inches both ends Maximum Operating Pressure: 3.0 pounds per square inch Measuring Method And Length: 40.000 inches Material: Steel reinforcing wire Style Designator: Helically wound continous wire supported Shelf Life: N/a Unit Of Measure:
Round both ends Hose Weight: 1.840 ounces per linear foot Connection Type: Preformed both ends Features Provided: Stowage device End Inside Diameter: 0.620 inches both ends Maximum Operating Pressure: 3.0 pounds per square inch Measuring Method And Length: 40.000 inches Material: Steel reinforcing wire Style Designator: Helically wound continous wire supported Shelf Life: N/a Unit Of Measure:
Hose Weight: 1.840 ounces per linear foot Connection Type: Preformed both ends Features Provided: Stowage device End Inside Diameter: 0.620 inches both ends Maximum Operating Pressure: 3.0 pounds per square inch Measuring Method And Length: 40.000 inches Material: Steel reinforcing wire Style Designator: Helically wound continous wire supported Shelf Life: N/a Unit Of Measure:
1.840 ounces per linear foot Connection Type: Preformed both ends Features Provided: Stowage device End Inside Diameter: 0.620 inches both ends Maximum Operating Pressure: 3.0 pounds per square inch Measuring Method And Length: 40.000 inches Material: Steel reinforcing wire Style Designator: Helically wound continous wire supported Shelf Life: N/a Unit Of Measure:
Connection Type: Preformed both ends Features Provided: Stowage device End Inside Diameter: 0.620 inches both ends Maximum Operating Pressure: 3.0 pounds per square inch Measuring Method And Length: 40.000 inches Material: Steel reinforcing wire Style Designator: Helically wound continous wire supported Shelf Life: N/a Unit Of Measure:
Preformed both ends Features Provided: Stowage device End Inside Diameter: 0.620 inches both ends Maximum Operating Pressure: 3.0 pounds per square inch Measuring Method And Length: 40.000 inches Material: Steel reinforcing wire Style Designator: Helically wound continous wire supported Shelf Life: N/a Unit Of Measure:
Features Provided: Stowage device End Inside Diameter: 0.620 inches both ends Maximum Operating Pressure: 3.0 pounds per square inch Measuring Method And Length: 40.000 inches Material: Steel reinforcing wire Style Designator: Helically wound continous wire supported Shelf Life: N/a Unit Of Measure:
Stowage device End Inside Diameter: 0.620 inches both ends Maximum Operating Pressure: 3.0 pounds per square inch Measuring Method And Length: 40.000 inches Material: Steel reinforcing wire Style Designator: Helically wound continous wire supported Shelf Life: N/a Unit Of Measure:
End Inside Diameter: 0.620 inches both ends Maximum Operating Pressure: 3.0 pounds per square inch Measuring Method And Length: 40.000 inches Material: Steel reinforcing wire Style Designator: Helically wound continous wire supported Shelf Life: N/a Unit Of Measure:
0.620 inches both ends Maximum Operating Pressure: 3.0 pounds per square inch Measuring Method And Length: 40.000 inches Material: Steel reinforcing wire Style Designator: Helically wound continous wire supported Shelf Life: N/a Unit Of Measure:
Maximum Operating Pressure: 3.0 pounds per square inch Measuring Method And Length: 40.000 inches Material: Steel reinforcing wire Style Designator: Helically wound continous wire supported Shelf Life: N/a Unit Of Measure:
3.0 pounds per square inch Measuring Method And Length: 40.000 inches Material: Steel reinforcing wire Style Designator: Helically wound continous wire supported Shelf Life: N/a Unit Of Measure:
Measuring Method And Length: 40.000 inches Material: Steel reinforcing wire Style Designator: Helically wound continous wire supported Shelf Life: N/a Unit Of Measure:
40.000 inches Material: Steel reinforcing wire Style Designator: Helically wound continous wire supported Shelf Life: N/a Unit Of Measure:
Material: Steel reinforcing wire Style Designator: Helically wound continous wire supported Shelf Life: N/a Unit Of Measure:
Steel reinforcing wire Style Designator: Helically wound continous wire supported Shelf Life: N/a Unit Of Measure:
Style Designator: Helically wound continous wire supported Shelf Life: N/a Unit Of Measure:
Helically wound continous wire supported Shelf Life: N/a Unit Of Measure:
Shelf Life: N/a Unit Of Measure:
N/a Unit Of Measure:
Unit Of Measure:
-
Demilitarization:
Demilitarization:
No
Filg:
A229a0