

View Online at <https://aerobasegroup.com/nsn/4720-00-917-4435>

**Cross Sectional Shape:**

Round

**Thread Class:**

3b 1st end

**Thread Direction:**

Right-hand 1st end

**Inside Diameter:**

0.625 inches

**Outside Diameter:**

Between 0.766 inches and 0.812 inches

**Minimum Inside Bending Radius:**

0.765 inches

**Connection Style:**

Swivel nut flare 2nd end

**End Connection Design:**

Straight 1st end

**Connection Type:**

Threaded internal tube 1st end

**Features Provided:**

Electrostatic discharge capability and nuts drilled for lockwire

**Thready Qty Per Inch (tpi):**

12 2nd end

**Layer Composition And Location:**

Outer layer braided corrosion resistant steel wire

**Thread Size:**

1.062 inches 2nd end

**Seat Angle:**

37.0 degrees 2nd end

**Hydrostatic Test Pressure:**

3000.0 pounds per square inch

**Flow Angle:**

90.0 degrees 2nd end

**Outer Covering Environmental Protection:**

Corrosion resistant

**Criticality Code Justification:**

Feat

**Inside Surface Condition:**

Smooth

**Measuring Method And Length:**

10.875 inches working and 11.125 inches working

**Special Features:**

Flight safety critical

**Thread Series Designator:**

Un 2nd end

**Fsc Application Data:**

Jet engine, aircraft

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fig:**

A542a0