NSN 4720-00-928-2591

Nonmetallic Hose Assembly - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4720-00-928-2591 **Cross Sectional Shape:** Round **Thread Direction:** Right-hand 1st end **Inside Diameter:** 0.250 inches **Tempurature Rating:** -40.0 degrees fahrenheit and 200.0 degrees fahrenheit single response **Outside Diameter:** 0.500 inches **Minimum Inside Bending Radius:** 2.500 inches **Connection Style:** Inverted flare 2nd end **End Connection Design:** Straight 2nd end **Connection Type:** Threaded external pipe 2nd end **Burst Test Pressure:** 1600.0 pounds per square inch **Layer Composition And Location:** 1st layer braided rayon cord and outer layer molded rubber, synthetic **Maximum Operating Pressure:** 400.0 pounds per square inch **Thread Size:** 0.250 inches 1st end Seat Angle: 30.0 degrees 2nd end **Hydrostatic Test Pressure:** 800.0 pounds per square inch **Inside Surface Condition:** Smooth **Measuring Method And Length:** 19.125 inches **Thread Series Designator:** Npt 1st end Shelf Life: N/a **Unit Of Measure:**

Demilitarization:

No

NSN 4720-00-928-2591

Nonmetallic Hose Assembly - Page 2 of 2



Fiig:

A542a0