NSN 4720-00-932-3399

Nonmetallic Hose Assembly - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4720-00-932-3399 **Cross Sectional Shape:** Round **Thread Class:** 2b 1st end **Thread Direction:** Right-hand 1st end **Inside Diameter:** 0.500 inches **Tempurature Rating:** -40.0 degrees fahrenheit and 240.0 degrees fahrenheit single response **Outside Diameter:** 0.719 inches **Minimum Inside Bending Radius:** 7.000 inches **Connection Style:** Swivel nut, inverted flare 1st end **End Connection Design:** Straight 2nd end **Connection Type:** Threaded internal tube 1st end **Burst Test Pressure:** 700.0 pounds per square inch **Layer Composition And Location:** 1st layer braided fabric and outer layer molded rubber, chloroprene **Maximum Operating Pressure:** 175.0 pounds per square inch **Thread Size:** 0.750 inches 2nd end Seat Angle: 12.0 degrees 1st end **Outer Covering Environmental Protection:** Oil resistant and ozone resistant Vacuum In Torr: 254.0 **Inside Surface Condition:** Smooth

Measuring Method And Length: 14.000 inches Media For Which Designed: Fuel/oil, hydrocarbon and water single response **Thread Series Designator:**

Unf 1st end

NSN 4720-00-932-3399

Nonmetallic Hose Assembly - Page 2 of 2



_					
•	n	0 1	•	12	e:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A542a0