NSN 4720-00-933-1464

Nonmetallic Hose Assembly - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4720-00-933-1464

Cross Sectional Shape:	
Round	
Thread Class:	
3a 1st end	
Thread Direction:	
Right-hand 1st end	
Inside Diameter:	
0.440 inches	
Outside Diameter:	
0.800 inches	
Minimum Inside Bending Radius:	
8.000 inches	
Exterior Color:	
Natural	
Connection Style:	
Plain 1st end	
End Connection Design:	
Straight 1st end	
Features Provided:	
Electrostatic discharge capability	
Thready Qty Per Inch (tpi):	
12 1st end	
Layer Composition And Location:	
1st layer braided corrosion resistant steel wire and 2nd layer spirally laid corrosion resistant steel wire and outer layer braided corrosion	
resistant steel wire	
Maximum Operating Pressure:	
4500.0 pounds per square inch	
Thread Size:	
1.750 inches 1st end	
Hydrostatic Test Pressure:	
9000.0 pounds per square inch	
Criticality Code Justification:	
Zzzy	
Inside Surface Condition:	
Smooth	
Measuring Method And Length:	
23.600 inches	
Thread Series Designator:	
Un 1st end	
Reference Number Differentiating Characteristics:	

Quality control iaw navships 0948-045-7010 material identification and control instruction for level 1 items

N/a

Shelf Life:

NSN 4720-00-933-1464

Nonmetallic Hose Assembly - Page 2 of 2



	1	:.	~	84				
ι	JN	IT	UΤ	IVI	ea	Sι	ire:	•

--

Demilitarization:

No

Fiig:

A542a0