## NSN 4720-00-933-1468

Nonmetallic Hose Assembly - Page 1 of 2



view Online at https://aerobasegroup.com/nsn/4720-00-933-1466
Cross Sectional Shape:
Round
Thread Class:
3a 1st end
Thread Direction:
Right-hand 1st end
nside Diameter:
0.440 inches
Outside Diameter:
0.800 inches
Minimum Inside Bending Radius:
3.000 inches
Exterior Color:
Natural
Connection Style:
Plain 1st end
End Connection Design:
Straight 1st end
Features Provided:
Electrostatic discharge capability
Thready Qty Per Inch (tpi):
12 1st end
Layer Composition And Location:
1st layer braided corrosion resistant steel wire and 2nd layer spirally laid corrosion resistant steel wire and outer layer braided corrosion
resistant steel wire
Maximum Operating Pressure:
4500.0 pounds per square inch
Thread Size:
1.750 inches 1st end
Hydrostatic Test Pressure:
9000.0 pounds per square inch
nside Surface Condition:
Smooth
Measuring Method And Length:
14.900 inches
Thread Series Designator:
Jn 1st end
Reference Number Differentiating Characteristics:
Quality controlled in accordance with navships 0948-045-7010 material identification and control instructions for level 1/sub-safe items
Shelf Life:
N/a
Init Of Massura

## NSN 4720-00-933-1468

Nonmetallic Hose Assembly - Page 2 of 2



Demilitarization:

No

Fiig:

A542a0