## NSN 4720-00-936-6392

**Cross Sectional Shape:** 

Round

Thread Class: 2b 1st end

Thread Direction:
Right-hand 1st end
Inside Diameter:

Metallic Hose Assembly - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4720-00-936-6392

1.000 inches
Tempurature Rating:
1000.0 degrees fahrenheit single response
Outside Diameter:
1.410 inches
Minimum Inside Bending Radius:
4.000 inches
Inner Conveying Tube Style:
Annular close-pitch corrugated
Connection Style:
Swivel nut flare 2nd end
End Connection Design:
Straight 1st end
Connection Type:
Threaded internal tube 1st end
Thready Qty Per Inch (tpi):
12 2nd end
Burst Test Pressure:
1500.0 pounds per square inch
Layer Composition And Location:
Outer layer braided corrosion resistant steel wire
Maximum Operating Pressure:
750.0 pounds per square inch
Thread Size:
1.312 inches 2nd end
Seat Angle:
37.0 degrees 2nd end
Flow Angle:
115.0 degrees 2nd end
Outer Covering Environmental Protection:
Corrosion resistant
Measuring Method And Length:
10.250 inches working
Thread Series Designator:
Unj 2nd end

## NSN 4720-00-936-6392

Metallic Hose Assembly - Page 2 of 2



_					
٠.	n	_	I+	18	e:

N/a

**Unit Of Measure:** 

--

Demilitarization:

Yes - demil/mli

Fiig:

A542a0