NSN 4720-00-937-8157

Nonmetallic Hose Assembly - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4720-00-937-8157

Cross Sectional Shape:
Round
Inside Diameter:
2.500 inches
Tempurature Rating:
-40.0 degrees fahrenheit and 125.0 degrees fahrenheit single response
Outside Diameter:
2.656 inches
Minimum Inside Bending Radius:
9.000 inches
Exterior Color:
Black
Quick Disconnect Size:
3.000 inches 2nd end
Connection Style:
Cam or lever (external) 2nd end
End Connection Design:
Straight 2nd end
Connection Type:
Internal quick disconnect 1st end
Features Provided:
Electrostatic discharge capability
Burst Test Pressure:
180.0 pounds per square inch
Layer Composition And Location:
1st layer braided textile yarn and 2nd layer helix steel coil and 3rd layer braided textile yarn and outer layer molded rubber, synthetic
Maximum Operating Pressure:
45.0 pounds per square inch
Hydrostatic Test Pressure:
90.0 pounds per square inch
Outer Covering Environmental Protection:
Ozone resistant
Inside Surface Condition:
Smooth
Measuring Method And Length:
181.000 inches
Media For Which Designed:
Fuel/oil, hydrocarbon single response
Specification Or Standard:
2 type and 3 size and 1 class and a style
Shelf Life:

N/a

NSN 4720-00-937-8157

Nonmetallic Hose Assembly - Page 2 of 2



ı	1	:.	~	8.4			
ι	JN	ıτ	OI.	IVI	eа	เรเ	ıre:

--

Demilitarization:

No

Fiig:

A542a0