## NSN 4720-00-945-1872

**Cross Sectional Shape:** 

Thread Direction:
Right-hand 1st end
Inside Diameter:

Round

Nonmetallic Hose Assembly - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4720-00-945-1872

| 0.250 inches  |
|---|
| Tempurature Rating:   |
| -40.0 degrees fahrenheit single response and 200.0 degrees fahrenheit single response |
| Outside Diameter:   |
| 0.625 inches  |
| Connection Style:   |
| Plain optional end 1st end  |
| End Connection Design:  |
| Straight 2nd end  |
| End Fitting Component And Material:   |
| Complete fitting copper alloy all ends  |
| Connection Type:  |
| Threaded internal pipe 1st end  |
| Second End Relationship With First End:   |
| Not identical   |
| First End Swivel Action Capability:   |
| Not included  |
| Layer Composition And Location:   |
| Outer layer molded rubber, synthetic err-100  |
| Maximum Operating Pressure:   |
| 2750.0 pounds per square inch   |
| Thread Size:  |
| 0.250 inches 2nd end  |
| Inside Surface Condition:   |
| Smooth  |
| Measuring Method And Length:  |
| 19.000 inches excluding end fittings  |
| Second End Swivel Action Capability:  |
| Not included  |
| Special Features:   |
| Inner conveying tube material-rubber, synthetic                                       |
| Media For Which Designed:   |
| Fuel/oil, hydrocarbon single response   |
| Thread Series Designator:   |
| Npt 1st end   |
| Shelf Life:   |
| N/a   |
|   |

## NSN 4720-00-945-1872

Nonmetallic Hose Assembly - Page 2 of 2



|  | Of |  |  |  |
|--|----|--|--|--|

--

Demilitarization:

No

Fiig:

A542a0