NSN 4720-00-948-6833

Nonmetallic Hose Assembly - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4720-00-948-6833

Cross Sectional Shape:		
Round		
Thread Class:		
2b 1st end		
Thread Direction:		
Right-hand 1st end		
Inside Diameter:		
Between 0.984 inches and 1.040 inches		
Tempurature Rating:		
-65.0 degrees fahrenheit single response and 250.0 degrees fahrenheit single response		
Outside Diameter:		
Between 1.359 inches and 1.453 inches		
Minimum Inside Bending Radius:		
7.000 inches		
Exterior Color:		
Natural		
Connection Style:		
Swivel nut flare 1st end		
End Connection Design:		
Straight 1st end		
Connection Type:		
Threaded internal tube 1st end		
Thready Qty Per Inch (tpi):		
12 1st end		
Maximum Operating Pressure:		
100.0 pounds per square inch		
Thread Size:		
1.938 inches 1st end		
Seat Angle:		
37.0 degrees 1st end		
Hydrostatic Test Pressure:		
200.0 pounds per square inch		
Outer Covering Environmental Protection:		
Abrasion resistant and oil resistant and weatherproof		
Inside Surface Condition:		
Smooth		
Measuring Method And Length:		
76.400 inches working		
Media For Which Designed:		
Fuel/oil, hydrocarbon single response and air single response and water, fresh single response		
Test Data Document:		

10001-1550309 drawing (this is the basic governing drawing, such as a contractor drawing, original equipment manufacturer drawing, etc.; excludes any specification, standard or other document that may be referenced in a basic governing drawing)

NSN 4720-00-948-6833

Nonmetallic Hose Assembly - Page 2 of 2



		_
Thread	l Series	Designator:

Unf 1st end

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A542a0