Nonmetallic Hose Assembly - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4720-00-959-5523

Cross Sectional Shape: Round Thread Class: Bb 1st end Thread Direction: Right-hand 1st end nside Diameter: 0.156 inches Tempurature Rating:
Thread Class: Bb 1st end Thread Direction: Right-hand 1st end nside Diameter: 0.156 inches
Bb 1st end <b>Thread Direction:</b> Right-hand 1st end <b>nside Diameter:</b> 0.156 inches
Thread Direction: Right-hand 1st end nside Diameter: 0.156 inches
Right-hand 1st end <b>nside Diameter:</b> ).156 inches
nside Diameter: 0.156 inches
).156 inches
Tempurature Rating:
65.0 degrees fahrenheit single response and 450.0 degrees fahrenheit single response
Dutside Diameter:
0.562 inches
Connection Style:
Swivel nut flare 1st end
End Connection Design:
Straight 1st end
Connection Type:
Threaded internal tube 1st end
Features Provided:
Electrostatic discharge capability
Burst Test Pressure:
3000.0 pounds per square inch
ayer Composition And Location:
Duter layer braided corrosion resistant steel wire
Maximum Operating Pressure:
500.0 pounds per square inch
Thread Size:
0.750 inches 1st end
Seat Angle:
37.0 degrees 1st end
Duter Covering Environmental Protection:
Corrosion resistant
nside Surface Condition:
Smooth
Measuring Method And Length:
7.375 inches working
Thread Series Designator:
Jnjf 1st end
Shelf Life:
N/a
Jnit Of Measure:
-

## NSN 4720-00-959-5523

Nonmetallic Hose Assembly - Page 2 of 2

Demilitarization:

No

Fiig:

A542a0

