NSN 4720-00-959-7249

Nonmetallic Hose Assembly - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4720-00-959-7249

Cross Sectional Shape:				
Round				
Thread Class:				
3b 1st end				
Thread Direction:				
Right-hand 1st end				
Inside Diameter:				
0.406 inches				
Tempurature Rating:				
-65.0 degrees fahrenheit and 250.0 degrees fahrenheit single response				
Outside Diameter:				
0.766 inches				
Exterior Color:				
Natural				
Connection Style:				
Swivel nut flare 1st end				
End Connection Design:				
Straight 1st end				
Connection Type:				
Threaded internal tube 1st end				
Features Provided:				
Electrostatic discharge capability				
Thready Qty Per Inch (tpi):				
16 1st end				
Burst Test Pressure:				
8000.0 pounds per square inch				
Layer Composition And Location:				
2nd layer braided wire and outer layer rubber impregnated cotton fabric				
Maximum Operating Pressure:				
2000.0 pounds per square inch				
Thread Size:				
0.750 inches 1st end				
Seat Angle:				
37.0 degrees 1st end				
Hydrostatic Test Pressure:				
4000.0 pounds per square inch				
Inside Surface Condition:				
Smooth				
Measuring Method And Length:				
11.600 inches working				

Media For Which Designed:
Fuel/oil, hydrocarbon single response

NSN 4720-00-959-7249

Nonmetallic Hose Assembly - Page 2 of 2



TL		Carias	Daalas	4
111	reau	Series	Design	iatoi.

Unf 1st end

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A542a0