NSN 4720-00-969-2693

Nonmetallic Hose Assembly - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4720-00-969-2693

Cross Sectional Shape:		
Round		
Thread Direction:		
Right-hand 1st end		
Inside Diameter:		
0.250 inches		
Tempurature Rating:		
-40.0 degrees fahrenheit and 200.0 degrees fahrenheit single response		
Outside Diameter:		
0.688 inches		
Minimum Inside Bending Radius:		
4.000 inches		
Exterior Color:		
Black		
End Application:		
Air compressor, high pressure; seawolf class ssn		
Connection Style:		
Inverted flare 1st end		
End Connection Design:		
Straight 1st end		
Connection Type:		
Threaded external pipe 1st end		
Thready Qty Per Inch (tpi):		
18 1st end		
Burst Test Pressure:		
20000.0 pounds per square inch		
Layer Composition And Location:		
1st layer braided steel wire and 2nd layer braided steel wire and outer layer molded rubber, synthetic		
Maximum Operating Pressure:		
5000.0 pounds per square inch		
Thread Size:		
0.250 inches 1st end		
Seat Angle:		
30.0 degrees 1st end		
Hydrostatic Test Pressure:		
10000.0 pounds per square inch		
Outer Covering Environmental Protection:		
Cold resistant and mildew resistant and oil resistant		
Inside Surface Condition:		
Smooth		
Measuring Method And Length:		

14.500 inches

NSN 4720-00-969-2693

Nonmetallic Hose Assembly - Page 2 of 2



Thread	Series	Designator:
--------	--------	--------------------

Npt 1st end

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A542a0