NSN 4720-00-974-7243



Nonmetallic Hose Assembly - Page 1 of 2 View Online at https://aerobasegroup.com/nsn/4720-00-974-7243 **Cross Sectional Shape:** Round **Thread Class:** 2a 1st end **Thread Direction:** Right-hand 1st end **Inside Diameter:** 0.188 inches **Tempurature Rating:** -65.0 degrees fahrenheit and 250.0 degrees fahrenheit single response **Outside Diameter:** 0.490 inches **Minimum Inside Bending Radius:** 1.500 inches **Exterior Color:** Black **Connection Style:** Swivel nut, inverted flare 2nd end **End Connection Design:** Straight 2nd end **Connection Type:** Threaded external tube 2nd end **Burst Test Pressure:** 4500.0 pounds per square inch **Layer Composition And Location:** 1st layer braided synthetic cord and outer layer molded rubber, chloroprene **Maximum Operating Pressure:** 1125.0 pounds per square inch **Thread Size:** 0.438 inches 1st end Seat Angle: 37.0 degrees 2nd end **Hydrostatic Test Pressure:** 2250.0 pounds per square inch **Inside Surface Condition:** Smooth **Measuring Method And Length:** 31.500 inches Media For Which Designed:

Air single response **Thread Series Designator:**

Unf 2nd end

NSN 4720-00-974-7243

Nonmetallic Hose Assembly - Page 2 of 2



_					
٠.	n	_	I+	18	e:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A542a0