Nonmetallic Hose Assembly - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4720-00-974-7321

Cross Sectional Shape:
Round
Thread Direction:
Right-hand 1st end
Inside Diameter:
0.500 inches
Tempurature Rating:
-20.0 degrees fahrenheit and 180.0 degrees fahrenheit single response
Outside Diameter:
0.812 inches
Minimum Inside Bending Radius:
7.000 inches
Exterior Color:
Clear
Connection Style:
Plain 1st end
End Connection Design:
Straight 1st end
Connection Type:
Threaded external pipe 1st end
Burst Test Pressure:
1250.0 pounds per square inch
Maximum Operating Pressure:
100.0 pounds per square inch
Thread Size:
0.500 inches 1st end
Hydrostatic Test Pressure:
200.0 pounds per square inch
Inside Surface Condition:
Smooth
Measuring Method And Length:
35.750 inches and 36.250 inches
Special Features:
Layer composition and location, first layer braided polyamide cord; outer layer, polyvinyl chloride
Thread Series Designator:
Npt 1st end
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No

NSN 4720-00-974-7321

Nonmetallic Hose Assembly - Page 2 of 2

Fiig: A542a0

