NSN 4720-00-986-6987

Nonmetallic Hose Assembly - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4720-00-986-6987 **Cross Sectional Shape:** Round **Thread Class:** 2b 1st end **Thread Direction:** Right-hand 1st end **Inside Diameter:** 0.875 inches **Tempurature Rating:** -65.0 degrees fahrenheit and 300.0 degrees fahrenheit single response **Outside Diameter:** 1.203 inches **Minimum Inside Bending Radius: 7.375** inches **Connection Style:** Swivel nut with compression sleeve 1st end **End Flange Construction:** Solid 2nd end **End Connection Design:** Straight 1st end **Connection Type:** Threaded internal tube 1st end Thready Qty Per Inch (tpi): 12 1st end **Burst Test Pressure:** 1500.0 pounds per square inch **Layer Composition And Location:** 1st layer braided wire and outer layer molded rubber, synthetic **Maximum Operating Pressure:** 250.0 pounds per square inch **Thread Size:** 1.312 inches 1st end Seat Angle: 45.0 degrees 2nd end **Hydrostatic Test Pressure:** 750.0 pounds per square inch Flow Angle: 45.0 degrees 2nd end **Inside Surface Condition:**

Smooth

Measuring Method And Length:

11.203 inches

NSN 4720-00-986-6987

Nonmetallic Hose Assembly - Page 2 of 2



Flange Style:
Double oval (sae split type flange) 2nd end
Media For Which Designed:
Fuel/oil, hydrocarbon single response
Thread Series Designator:
Un 1st end
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No

Fiig: A542a0