## NSN 4720-00-992-6487

Nonmetallic Hose Assembly - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4720-00-992-6487

Cross Sectional Shape:					
Round					
Thread Class:					
3b 1st end					
Thread Direction:					
Right-hand 1st end					
Inside Diameter:					
0.875 inches					
Tempurature Rating:					
-40.0 degrees fahrenheit and 300.0 degrees fahrenheit single response					
Outside Diameter:					
1.141 inches					
Minimum Inside Bending Radius:					
5.500 inches					
Connection Style:					
Swivel nut flare 2nd end					
End Connection Design:					
Straight 1st end					
Connection Type:					
Threaded internal tube 1st end					
Thready Qty Per Inch (tpi):					
12 2nd end					
Layer Composition And Location:					
1st layer braided corrosion resistant steel wire, partial coverage and outer layer braided corrosion resistant steel wire					
Maximum Operating Pressure:					
750.0 pounds per square inch					
Thread Size:					
1.312 inches 2nd end					
Seat Angle:					
37.0 degrees 2nd end					
Hydrostatic Test Pressure:					
1500.0 pounds per square inch					
Flow Angle:					
90.0 degrees 2nd end					
Inside Surface Condition:					
Smooth					
Measuring Method And Length:					
98.000 inches working					
Special Features:					
An internal thread boss fitting 0.438-20 unf 3b thread is located 90 degrees c to c of both fitting left side second end					
Media For Which Designed:					

Fuel/oil, hydrocarbon single response

## NSN 4720-00-992-6487

Nonmetallic Hose Assembly - Page 2 of 2



T	'nr	ead	<b>Series</b>	Design	nator:

Un 2nd end

Shelf Life:

N/a

**Unit Of Measure:** 

--

Demilitarization:

No

Fiig:

A542a0