## NSN 4720-01-007-0587

Nonmetallic Hose Assembly - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4720-01-007-0587 **Cross Sectional Shape:** Round **Thread Class:** 2a 1st end **Thread Direction:** Right-hand 1st end **Inside Diameter:** Between 0.172 inches and 0.204 inches **Tempurature Rating:** -40.0 degrees fahrenheit and 212.0 degrees fahrenheit single response **Outside Diameter:** Between 0.344 inches and 0.375 inches **Connection Style:** Plain 2nd end **End Connection Design:** Straight 2nd end **Connection Type:** Threaded external tube 1st end Thready Qty Per Inch (tpi): 24 1st end **Burst Test Pressure:** 2000.0 pounds per square inch **Layer Composition And Location:** 1st layer braided fabric and outer layer molded rubber **Thread Size:** 0.438 inches 1st end Seat Angle: 42.0 degrees 1st end **Hydrostatic Test Pressure:** 1000.0 pounds per square inch **Outer Covering Environmental Protection:** Fuel resistant and oil resistant and mildew resistant and heat resistant Vacuum In Torr: 50.8 **Inside Surface Condition:** Smooth **Measuring Method And Length:** 13.000 inches Media For Which Designed:

Fuel/oil, hydrocarbon single response **Thread Series Designator:** Uns 1st end

## NSN 4720-01-007-0587

Nonmetallic Hose Assembly - Page 2 of 2



| _ |   |            |   |    |    |
|---|---|------------|---|----|----|
| • | n | <b>0</b> 1 | • | 12 | e: |
|   |   |            |   |    |    |

N/a

**Unit Of Measure:** 

--

Demilitarization:

No

Fiig:

A542a0