Nonmetallic Hose Assembly - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4720-01-007-9790

Cross Sectional Shap	e:
Round	
Thread Class:	
3b 1st end	
Thread Direction:	
Right-hand 1st end	
Inside Diameter:	
0.406 inches	
Tempurature Rating:	
-65.0 degrees fahrenhe	eit single response and 450.0 degrees fahrenheit single response
Outside Diameter:	
0.562 inches	
Connection Style:	
Swivel nut, inverted fla	are 2nd end
End Connection Desi	gn:
Straight 1st end	
Connection Type:	
Threaded internal tube	1st end
Burst Test Pressure:	
6000.0 pounds per squ	are inch
Layer Composition A	nd Location:
Outer layer braided cor	rosion resistant steel wire
Maximum Operating I	Pressure:
1500.0 pounds per squ	are inch
Thread Size:	
0.875 inches 1st end	
Seat Angle:	
37.0 degrees 2nd end	
Hydrostatic Test Pres	sure:
3000.0 pounds per squ	are inch
Flow Angle:	
45.0 degrees 2nd end	
Inside Surface Condi	tion:
Smooth	
Measuring Method Ar	nd Length:
19.500 inches working	
Thread Series Design	ator:
Unjf 1st end	
Shelf Life:	
N/a	
Unit Of Measure:	

NSN 4720-01-007-9790

Nonmetallic Hose Assembly - Page 2 of 2

Demilitarization:

No

Fiig:

A542a0

