NSN 4720-01-008-2519

Nonmetallic Hose Assembly - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4720-01-008-2519 **Cross Sectional Shape:** Round **Thread Direction:** Right-hand 2nd end **Inside Diameter:** 0.212 inches **Tempurature Rating:** -67.0 degrees fahrenheit single response and 400.0 degrees fahrenheit single response **Outside Diameter:** 0.410 inches **Minimum Inside Bending Radius:** 1.500 inches **Exterior Color:** Natural **Connection Style:** Swivel nut, flareless 1st end **End Connection Design:** Straight 2nd end **Connection Type:** Threaded internal tube 1st end **Burst Test Pressure:** 12000.0 pounds per square inch **Layer Composition And Location:** Outer layer braided wire **Maximum Operating Pressure:** 3000.0 pounds per square inch **Thread Size:** 10.000 millimeters 2nd end Seat Angle: 12.0 degrees 2nd end **Hydrostatic Test Pressure:** 6000.0 pounds per square inch **Inside Surface Condition:** Smooth

Measuring Method And Length: 12.750 inches working **Thread Series Designator:** Iso m 2nd end

Shelf Life:

N/a

Unit Of Measure:

NSN 4720-01-008-2519

Nonmetallic Hose Assembly - Page 2 of 2



Demilitarization:

No

Fiig:

A542a0