

View Online at <https://aerobasegroup.com/nsn/4720-01-008-7954>

Cross Sectional Shape:

Round

Thread Class:

2a 1st end

Thread Direction:

Right-hand 1st end

Inside Diameter:

0.500 inches

Temperature Rating:

-65.0 degrees fahrenheit and 400.0 degrees fahrenheit single response

Flange Thickness:

0.070 inches 2nd end

Outside Diameter:

0.750 inches

Minimum Inside Bending Radius:

1.000 inches

Exterior Color:

Natural

Flange Outside Diameter:

0.750 inches 2nd end

Connection Style:

Plain 2nd end

End Flange Construction:

Solid 2nd end

End Connection Design:

Straight 1st end

Connection Type:

Threaded external tube 1st end

Features Provided:

Electrostatic discharge capability

Thready Qty Per Inch (tpi):

12 1st end

Burst Test Pressure:

800.0 pounds per square inch

Layer Composition And Location:

Outer layer braided corrosion resistant steel wire

Thread Size:

0.938 inches 1st end

Hydrostatic Test Pressure:

400.0 pounds per square inch

Flow Angle:

128.0 degrees 2nd end

Outer Covering Environmental Protection:

Corrosion resistant

Inside Surface Condition:

Convuluted

Measuring Method And Length:

7.000 inches working

Flange Style:

Round w/ out bolt holes 2nd end

Media For Which Designed:

Fuel/oil, hydrocarbon single response

Thread Series Designator:

Un 1st end

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A542a0