

View Online at <https://aerobasegroup.com/nsn/4720-01-010-4442>

Cross Sectional Shape:

Round

Thread Class:

3b 1st end

Thread Direction:

Right-hand 1st end

Inside Diameter:

1.000 inches

Temperature Rating:

-65.0 degrees fahrenheit single response and 130.0 degrees fahrenheit single response

Outside Diameter:

1.180 inches

Minimum Inside Bending Radius:

12.000 inches

Exterior Color:

Red

First End Fitting Specification/std Data:

An818-16j standard (includes industry or association standards, individual manufactureer standards, etc.).

Connection Style:

Swivel nut flare 1st end

End Connection Design:

Straight 1st end

End Fitting Component And Material:

Complete fitting steel comp 304 all ends

Connection Type:

Threaded internal tube 1st end

Thready Qty Per Inch (tpi):

12 1st end

Second End Relationship With First End:

Identical

Burst Test Pressure:

150.0 pounds per square inch

First End Swivel Action Capability:

Included

Layer Composition And Location:

1st layer molded rubber err-100

Thread Size:

1.312 inches 1st end

Seat Angle:

37.0 degrees 1st end

Outer Covering Environmental Protection:

Weatherproof

Inside Surface Condition:

Smooth

Measuring Method And Length:

480.000 inches

Special Features:

Flared tube protection plug at both ends attached to hose w/cres flexible cable

Media For Which Designed:

Air single response

Thread Series Designator:

Unj 1st end

Specification Data:

An818-16j national std/spec

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A542a0