## NSN 4720-01-013-6154

Nonmetallic Hose Assembly - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4720-01-013-6154
Cross Sectional Shape:
Round
Thread Direction:
Right-hand 1st end
Inside Diameter:
1.812 inches
Tempurature Rating:
-40.0 degrees fahrenheit and 250.0 degrees fahrenheit single response
Outside Diameter:
2.220 inches
Minimum Inside Bending Radius:
13.250 inches
Exterior Color:
Black
Connection Style:
Inverted flare 1st end
End Connection Design:
Straight 1st end
Connection Type:
Threaded external pipe 1st end
Features Provided:
Reusable end fittings
Burst Test Pressure:
1400.0 pounds per square inch
Layer Composition And Location:
1st layer braided cotton cord and 2nd layer braided wire
Maximum Operating Pressure:
350.0 pounds per square inch
Thread Size:
2.000 inches 1st end
Seat Angle:
30.0 degrees 1st end
Hydrostatic Test Pressure:

700.0 pounds per square inch

**Outer Covering Environmental Protection:** 

Mildew resistant and oil resistant

Inside Surface Condition:

Smooth

**Measuring Method And Length:** 

138.000 inches

Media For Which Designed:

Ethylene glycol and water single response

## NSN 4720-01-013-6154

Nonmetallic Hose Assembly - Page 2 of 2



Thread Series Designato	r:
-------------------------	----

Npt 1st end

Shelf Life:

N/a

**Unit Of Measure:** 

--

Demilitarization:

No

Fiig:

A542a0