NSN 4720-01-014-1822

30.750 inches working

Nonmetallic Hose Assembly - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4720-01-014-1822

Cross Sectional Shape:
Round
Inside Diameter:
1.120 inches
11-2-10-0-
Tempurature Rating:
-40.0 degrees fahrenheit and 300.0 degrees fahrenheit single response
Flange Thickness: 0.297 inches 1st end
Outside Diameter:
1.440 inches
Minimum Inside Bending Radius:
8.000 inches
Center To Center Distance Between Bolt Holes Along Width:
1.094 inches 1st end
Center To Center Distance Between Bolt Holes Along Length:
1.094 inches 1st end
Bolt Hole Quantity:
4 1st end
Flange Length:
2.188 inches 1st end
Flange Width:
2.188 inches 1st end
Connection Style:
Plain swivel 1st end
Bolt Hole Diameter:
0.266 inches 1st end
End Flange Construction:
Solid 1st end
End Connection Design:
Straight 1st end
Connection Type:
Plain face flange 1st end
Layer Composition And Location:
1st layer braided corrosion resistant steel wire, partial coverage and outer layer braided corrosion resistant steel wire
Maximum Operating Pressure:
500.0 pounds per square inch
Hydrostatic Test Pressure:
750.0 pounds per square inch
Inside Surface Condition:
Smooth
Measuring Method And Length:

NSN 4720-01-014-1822

Nonmetallic Hose Assembly - Page 2 of 2



Flange	Style:
i lulige	Otyle.

Rectangular (includes square) 1st end

Media For Which Designed:

Fuel/oil, hydrocarbon single response

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A542a0