NSN 4720-01-020-1795

Nonmetallic Hose Assembly - Page 1 of 2

View Online at https://aerobasegroup.com/nsn/4720-01-020-1795 **Cross Sectional Shape:** Round **Thread Class:** 3b 1st end **Thread Direction:** Right-hand 1st end **Inside Diameter:** 0.625 inches **Tempurature Rating:** 450.0 degrees fahrenheit single response **Outside Diameter:** 0.789 inches **Minimum Inside Bending Radius:** 6.500 inches **Connection Style:** Swivel nut flare 1st end **End Connection Design:** Elbow 1st end **Connection Type:** Threaded internal tube 1st end **Features Provided:** Reusable end fittings **Burst Test Pressure:** 5000.0 pounds per square inch **Layer Composition And Location:** 1st layer braided corrosion resistant steel wire **Maximum Operating Pressure:** 1000.0 pounds per square inch **Thread Size:** 1.062 inches 1st end Seat Angle: 37.0 degrees 1st end **Hydrostatic Test Pressure:** 2000.0 pounds per square inch Flow Angle: 90.0 degrees 1st end **Vacuum In Torr:** 254.0 **Inside Surface Condition:** Smooth

Measuring Method And Length:

38.875 inches working

NSN 4720-01-020-1795

Nonmetallic Hose Assembly - Page 2 of 2



Unjf 1st end

Specification Data:

96906-ms8000 government standard

Shelf Life:

N/a

Unit Of Measure:

__

Demilitarization:

No

Fiig:

A542a0