

View Online at <https://aerobasegroup.com/nsn/4720-01-021-1586>

Cross Sectional Shape:

Round

Inside Diameter:

0.375 inches

Temperature Rating:

-40.0 degrees fahrenheit single response and 400.0 degrees fahrenheit single response

Outside Diameter:

1.000 inches

Minimum Inside Bending Radius:

5.000 inches

End Application:

Tarawa class lha

Burst Test Pressure:

8000.0 pounds per square inch single response

Layer Composition And Location:

Outer layer molded rubber, synthetic err-100

Maximum Operating Pressure:

2000.0 pounds per square inch single response

Hydrostatic Test Pressure:

4000.0 pounds per square inch single response

Outer Covering Environmental Protection:

Abrasion resistant and mildew resistant and oil resistant

Criticality Code Justification:

Feat

Inside Surface Condition:

Smooth

Special Features:

Weapon system essential

Material:

Rubber synthetic tube

Media For Which Designed:

Air single response and fuel/oil, hydrocarbon single response and water, fresh single response and water, salt single response

Specification Data:

81349-mil-h-24136/2 government specification

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fig:

A541z0

Mil-std (military Standard):

Mil-h-24136 spec.