Nonmetallic Hose Assembly - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4720-01-026-7041

Cross Sectional Shape:
Round
Thread Direction:
Right-hand 1st end
Inside Diameter:
0.625 inches
Tempurature Rating:
-100.0 degrees fahrenheit and 450.0 degrees fahrenheit single response
Outside Diameter:
0.750 inches
Minimum Inside Bending Radius:
7.750 inches
Connection Style:
Push (internal) 2nd end
End Connection Design:
Straight 2nd end
Connection Type:
Threaded external pipe 1st end
Burst Test Pressure:
5000.0 pounds per square inch
Layer Composition And Location:
Outer layer braided corrosion resistant steel wire
Maximum Operating Pressure:
800.0 pounds per square inch
Thread Size:
0.750 inches 1st end
Outer Covering Environmental Protection:
Cold resistant and heat resistant and oil resistant and weatherproof
Vacuum In Torr:
50.8
Inside Surface Condition:
Smooth
Measuring Method And Length:
63.062 inches
Thread Series Designator:
Npt 1st end
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No

NSN 4720-01-026-7041

Nonmetallic Hose Assembly - Page 2 of 2

Fiig: A542a0

