## NSN 4720-01-028-9598

**Cross Sectional Shape:** 

37.0 degrees 1st end

Nonmetallic Hose Assembly - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4720-01-028-9598

Round
Thread Class:
3b 1st end
Thread Direction:
Right-hand 1st end
Inside Diameter:
1.500 inches
Tempurature Rating:
-65.0 degrees fahrenheit single response and 190.0 degrees fahrenheit single response
Bolt Circle Diameter:
2.562 inches 2nd end
Flange Thickness:
0.297 inches 2nd end
Minimum Inside Bending Radius:
4.500 inches
Bolt Hole Quantity:
4 2nd end
Flange Outside Diameter:
3.094 inches 2nd end
Connection Style:
Plain swivel 2nd end
Bolt Hole Diameter:
0.266 inches 2nd end
End Flange Construction:
Solid 2nd end
End Connection Design:
Straight 2nd end
Connection Type:
Threaded internal tube 1st end
Thready Qty Per Inch (tpi):
12 1st end
Burst Test Pressure:
600.0 pounds per square inch
Layer Composition And Location:
Outer layer braided corrosion resistant steel wire
Maximum Operating Pressure:
300.0 pounds per square inch
Thread Size:
1.875 inches 1st end
Seat Angle:

## NSN 4720-01-028-9598

Nonmetallic Hose Assembly - Page 2 of 2



## **Hydrostatic Test Pressure:** 450.0 pounds per square inch **Outer Covering Environmental Protection:** Corrosion resistant **Inside Surface Condition:** Convoluted **Measuring Method And Length:** 43.400 inches working Flange Style: Round w/ bolt holes 2nd end **Thread Series Designator:** Unj 1st end Shelf Life: N/a **Unit Of Measure:** Demilitarization:

No Fiig: A542a0