NSN 4720-01-031-4387

Nonmetallic Hose Assembly - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4720-01-031-4387

Cross Sectional Shape:						
Round						
Thread Direction:						
Right-hand 1st end Inside Diameter:						
0.375 inches						
Tempurature Rating:						
-65.0 degrees fahrenheit and 200.0 degrees fahrenheit single response						
Outside Diameter:						
0.750 inches						
Minimum Inside Bending Radius:						
3.750 inches						
Connection Style:						
Swivel, plain 1st end						
End Connection Design:						
Straight 1st end						
Connection Type:						
Threaded external pipe 1st end						
Burst Test Pressure:						
900.0 pounds per square inch						
Layer Composition And Location:						
1st layer braided textile yarn and 2nd layer braided textile yarn and outer layer molded rubber, synthetic						
Maximum Operating Pressure:						
225.0 pounds per square inch						
Thread Size:						
0.500 inches 1st end						
Hydrostatic Test Pressure:						
450.0 pounds per square inch						
Inside Surface Condition:						
Smooth						
Measuring Method And Length:						
128.000 inches						
Media For Which Designed:						
Brake fluid, nonmineral oil single response						
Thread Series Designator:						
Nptf 1st end						
Specification Data:						
81349-mil-h-3992 government specification						
Specification Or Standard:						
1 type and 1 class						
Shelf Life:						

N/a

NSN 4720-01-031-4387

Nonmetallic Hose Assembly - Page 2 of 2



	• •				
In	18	<i>(</i>)+	МЛО	201	ure:

--

Demilitarization:

No

Fiig:

A542a0