NSN 4720-01-033-2810

Nonmetallic Hose Assembly - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4720-01-033-2810

Cross Sectional Snape:	
Round	
Thread Class:	
3b 1st end	
Thread Direction:	
Right-hand 1st end	
Inside Diameter:	
0.188 inches	
Outside Diameter:	
0.360 inches	
Minimum Inside Bending Radius:	
1.500 inches	
Exterior Color:	
Natural	
Connection Style:	
Swivel nut flare 2nd end	
End Connection Design:	
Straight 1st end	
Connection Type:	
Threaded internal tube 1st end	
Features Provided:	
Electrostatic discharge capability	
Burst Test Pressure:	
11200.0 pounds per square inch	
Layer Composition And Location:	
Outer layer braided corrosion resistant steel wire	
Maximum Operating Pressure:	
3000.0 pounds per square inch	
Thread Size:	
0.375 inches 1st end	
Seat Angle:	
37.0 degrees 2nd end	
Flow Angle:	
90.0 degrees 2nd end	
Inside Surface Condition:	
Smooth	
Measuring Method And Length:	
9.500 inches working	
Thread Series Designator:	
Unjf 1st end	
Specification Data:	
80378-cvc4356 manufacturers standard	

NSN 4720-01-033-2810

Nonmetallic Hose Assembly - Page 2 of 2



Shelf	Life:
Onch	LIIC.

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A542a0