NSN 4720-01-038-5767

Nonmetallic Hose Assembly - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4720-01-038-5767 **Cross Sectional Shape:** Round **Thread Class:** 3b 1st end **Thread Direction:** Right-hand 1st end **Tempurature Rating:** -40.0 degrees fahrenheit and 300.0 degrees fahrenheit single response **Exterior Color:** Silver or natural **Connection Style:** Swivel nut flare 2nd end **End Connection Design:** Straight 1st end **Connection Type:** Threaded internal tube 1st end **Burst Test Pressure:** 6000.0 pounds per square inch **Layer Composition And Location:** 1st layer braided corrosion resistant steel wire and 2nd layer braided corrosion resistant steel wire and outer layer braided fabric **Maximum Operating Pressure:** 1500.0 pounds per square inch Seat Angle: 37.0 degrees 2nd end **Hydrostatic Test Pressure:** 3000.0 pounds per square inch Flow Angle: 90.0 degrees 2nd end **Outer Covering Environmental Protection:** Corrosion resistant **Inside Surface Condition:** Smooth Media For Which Designed: Fuel/oil, hydrocarbon and air single response **Thread Series Designator:** Unjf 1st end Shelf Life: N/a **Unit Of Measure:**

No

Demilitarization:

NSN 4720-01-038-5767

Nonmetallic Hose Assembly - Page 2 of 2



Fiig:

A542a0