

Nonmetallic Hose Assembly - Page 1 of 2	
View Online at https://aerobasegroup.com/nsn/4720-01-041-3075	
Cross Sectional Shape:	
Round	
Thread Class:	
3b 1st end	
Thread Direction:	
Right-hand 1st end	
Inside Diameter:	
0.188 inches	
Tempurature Rating:	
-10.0 degrees fahrenheit single response and 450.0 degrees fahrenheit single response	
Outside Diameter:	
0.360 inches	
Minimum Inside Bending Radius:	
2.000 inches	
Exterior Color:	
Black	
Connection Style:	
Swivel nut flare 2nd end	
End Connection Design:	

Straight 1st end

Connection Type:

Threaded internal tube 1st end

Features Provided:

Electrostatic discharge capability

Burst Test Pressure:

12000.0 pounds per square inch

Layer Composition And Location:

Outer layer braided corrosion resistant steel wire

Maximum Operating Pressure:

1500.0 pounds per square inch

Thread Size:

0.375 inches 1st end

Seat Angle:

37.0 degrees 2nd end

Hydrostatic Test Pressure:

3000.0 pounds per square inch

Flow Angle:

90.0 degrees 2nd end

Outer Covering Environmental Protection:

Corrosion resistant and fuel resistant and hydraulic solution resistant and oil resistant

Vacuum In Torr:

Nonmetallic Hose Assembly - Page 2 of 2

AeroBase Group

Inside Surface Condition:

Smooth

Measuring Method And Length:

16.000 inches working

Special Features:

Identification band

Thread Series Designator:

Unf 2nd end

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A542a0