## NSN 4720-01-044-0864

Nonmetallic Hose Assembly - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4720-01-044-0864 **Cross Sectional Shape:** Round **Thread Direction:** Right-hand 1st end **Inside Diameter:** 0.500 inches **Outside Diameter:** 1.000 inches **Connection Style:** Swivel nut flare 1st end **End Connection Design:** Straight 2nd end **Connection Type:** Threaded internal tube 1st end **Burst Test Pressure:** 2400.0 pounds per square inch **Layer Composition And Location:** 1st layer braided cotton cord and 2nd layer braided cotton cord and outer layer molded rubber, chloroprene **Maximum Operating Pressure:** 600.0 pounds per square inch **Thread Size:** 1.073 inches 1st end Seat Angle: 14.0 degrees 2nd end **Inside Surface Condition:** Smooth **Measuring Method And Length:** 1200.000 inches **Special Features:** Hose assemblys to be used in divers operations in water depths to 600 feet Media For Which Designed: Air and gas single response **Thread Series Designator:** Submarine thd 2nd end **Specification Data:** 81349-mil-h-2815 government specification Shelf Life: N/a **Unit Of Measure:** 

No

**Demilitarization:** 

## NSN 4720-01-044-0864

Nonmetallic Hose Assembly - Page 2 of 2



Fiig:

A542a0